

TFR 60

Page: 1

Compilation date: 13/05/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TFR 60

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Proficio Limited

52 Crossgates

Bellshill

Lanarkshire

ML4 2EE

Scotland

Tel: 01698740840

Fax: 01698740008

Email: sales@proficio.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 ${\bf P280: Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection.}$

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

TFR 60

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

COCO AMIDO PROPYL BETAINE - REACH registered number(s): 01-2119488533-30-0001

EINECS	CAS	PBT / WEL	CLP Classification	Percent			
931-296-8	61789-40-0	-	Eye Dam. 1: H318; Aquatic Chronic 3:				
			H412				
ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO							
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%			
SODIUM HYD	SODIUM HYDROXIDE						
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1-10%			
ALCOHOL ET	TIOVVI ATE CO 11						

ALCOHOL ETHOXYLATE C9-11

	-	68438-45-2	-	Acute Tox. 4: H302; Eye Dam. 1: H318	<1%
--	---	------------	---	--------------------------------------	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear

immediately unless stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Water fog.

TFR 60

Page: 3

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic

fumes of nitrogen oxides.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition.

Suitable packaging: Do not use aluminium containers.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (alkali-resistant).

TFR 60

Page: 4

Eye protection: Safety glasses. **Skin protection:** Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: Not applicable.

Solubility in water: Highly soluble

Viscosity: Non-viscous

Boiling point/range°C: >100 Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: >93 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: Not applicable.

Relative density: 1.04 +/- 0.005 **pH:** >11.5

VOC g/l: Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: No data available.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Flames.

10.5. Incompatible materials

Materials to avoid: Acids. Alkali earth metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic

fumes of nitrogen oxides.

Section 11: Toxicological information

TFR 60

Page: 5

11.1. Information on toxicological effects

Hazardous ingredients:

COCO AMIDO PROPYL BETAINE

DERMAL	RAT	LD50	>5,000	mg/kg
ORAL	RAT	LD50	>5,000	mg/kg

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300<2000	mg/kg

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

ALCOHOL ETHOXYLATE C9-11

ODAT	DAT	IDIO	. 200 .2000	/1
ORAL	RAT	LD50	>300<2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact.

Eye contact: There may be irritation and pain.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: No symptoms.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

COCO AMIDO PROPYL BETAINE

Daphnia magna	48H EC50	1.9	mg/l
FISH	96H LC50	1.11	mg/l

TFR 60

Page: 6

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

FISH 96H LC50 1-10 mg/l

ALCOHOL ETHOXYLATE C9-11

FISH 96H LC50 1-10 mg/l

12.2. Persistence and degradability

Persistence and degradability: Readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1759

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, N.O.S.

(SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: N_0 Marine pollutant: N_0

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

TFR 60

Page: 7

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be

used only as a guide. This company shall not be held liable for any damage resulting from handling or

from contact with the above product.