

FABRIC & UPHOLSTERY CLEANER

Page: 1

Compilation date: 13/05/2016

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FABRIC & UPHOLSTERY CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Proficio Limited

52 Crossgates

Bellshill

Lanarkshire

ML4 2EE

Scotland

Tel: 01698740840

Fax: 01698740008

Email: sales@proficio.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

FABRIC & UPHOLSTERY CLEANER

Page: 2

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
TKPP - REACH registered number(s): 01-2119489369-18-XXXX				
230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%

SODIUM ALKYL ETHER SULPHATE - REACH registered number(s): 01-2119488639-16-0020

500-234-8	68891-38-3	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	1-10%
			Aquatic Chronic 3: H412	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.
 Eye contact: Bathe the eye with running water for 15 minutes.
 Ingestion: Do not induce vomiting. Wash out mouth with water.
 Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be vomiting.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water. Dry chemical powder. Alcohol or polymer foam. Water fog.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for fire-fighters

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

FABRIC & UPHOLSTERY CLEANER

Page: 3

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.
 Eye protection: Safety glasses.
 Skin protection: Protective clothing.
 Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: Colourless

Odour: Lemon

Evaporation rate: Not applicable. **Oxidising:** Not applicable.

Solubility in water: Highly soluble

Viscosity: Viscous

Boiling point/range°C: 100 Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: >93 Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

Relative density: 1.05 pH: 9

VOC g/l: Not applicable.

FABRIC & UPHOLSTERY CLEANER

Page: 4

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Not applicable.

10.2. Chemical stability

Chemical stability: No data available.

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: Flames.

10.5. Incompatible materials

Materials to avoid: No data available.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>300<2000	mg/kg

TKPP

DERMAL	RBT	LD50	>2000	mg/kg
DUST/MIST	RAT	1H LC50	>1.1	mg/l
ORAL	RAT	LD50	>2000	mg/kg

SODIUM ALKYL ETHER SULPHATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for product:

Hazard	Douto	Racic
l lazalu	Route	Dasis

FABRIC & UPHOLSTERY CLEANER

Page: 5

Serious eye damage/irritation	OPT	Hazardous: calculated
-------------------------------	-----	-----------------------

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be vomiting.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOL ETHOXYLATE C9-11 WITH 6.5 MOL EO

FISH	96H LC50	1-10	mg/l
------	----------	------	------

TKPP

ALGAE	72H ErC50	>100	mg/l
Daphnia magna	48H EC50	>100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>100	mg/l

SODIUM ALKYL ETHER SULPHATE

ALGAE	48H EC50	27,7	mg/l
DAPHNIA	48H EC50	7,4	mg/l
FISH	96H LC50	7,1	mg/l

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

FABRIC & UPHOLSTERY CLEANER

Page: 6

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be

used only as a guide. This company shall not be held liable for any damage resulting from handling or

from contact with the above product.